

FAMA EQUIPMENT WEIGHT AND CUBE CALCULATOR

EQUIPMENT DESCRIPTION	EQUIP SOURCE CODE	DIMENSIONS (Inches)	CUBE EACH (Inches)	CUBE TOTAL (Inches)	WEIGHT EACH (Pounds)	WEIGHT TOTAL (Pounds)	NFPA RQRD (Y/N)	EQUIP EXIST (QTY)	EQUIP NEW (QTY)	MFGR	MODEL	PURCH DATE	COST UNIT	COST TOTAL
Ground Ladders														
Ladder, 10 ft A-Frame combo		20.5 x 8.67 x 74	13,152	-	27	-								\$ -
Ladder, 10 ft attic		5.2 x 13.5 x 87	6,107	-	41	-								\$ -
Ladder, combo folding (Little Giant type)		20 x 7.75 x 102	15,810	-	28	-								\$ -
Ladder, 14 ft, 2 section extension		21.50 x 5.56 x 115	13,747	-	53	-								\$ -
Ladder, 16 ft, 2 section extension		21.55 x 5.76 x 124.50	15,453	-	59	-								\$ -
Ladder, 20 ft, 2 section extension		21.75 x 5.375 x 144.75	16,922	-	66	-								\$ -
Ladder, 24 ft, 2 section extension		21.75 x 5.375 x 171.75	20,078	-	77	-								\$ -
Ladder, 28 ft, 2 section extension		22 x 6.1 x 199	30,459	-	114	-								\$ -
Ladder, 28 ft, 3 section extension		25 x 9.125 x 160	36,500	-	145	-								\$ -
Ladder, 30 ft, 3 section extension		25 x 9.125 x 174	39,693	-	158	-								\$ -
Ladder, 35 ft, 3 section extension		25 x 9.125 x 188	42,887	-	170	-								\$ -
Ladder, 8 ft folding		2.5 x 1.5 x 111	416	-	12	-								\$ -
Ladder, 10 ft folding		2.5 x 1.5 x 137	514	-	14	-								\$ -
Ladder, 10 ft Fresno		13 x 4.563 x 120	7,118	-	27	-								\$ -
Ladder, 12 ft Fresno		13 x 4.563 x 144	8,542	-	30	-								\$ -
Ladder, 14 ft Fresno		13 x 4.563 x 168	9,966	-	32	-								\$ -
Ladder, 12 ft roof with hooks		19 x 2.75 x 146.25	7,642	-	24	-								\$ -
Ladder, 14 ft roof with hooks		19 x 2.75 x 170.25	8,896	-	28	-								\$ -
Ladder, 16 ft roof with hooks		19 x 3.25 x 194.50	12,010	-	39	-								\$ -
Pike Poles														
Hook, dry wall, 6 ft		1.25" x 1.25" x 72"	113	-	6	-								\$ -
Hook, dry wall, 8 ft		1.25" x 1.25" x 96"	150	-	7	-								\$ -
Pike pole, 6 ft Standard head		1.25" x 1.25" x 72"	113	-	6	-								\$ -
Pike pole, 8 ft Standard head		1.25" x 1.25" x 96"	150	-	7	-								\$ -
Pike pole, 10 ft Standard head		1.25" x 1.25" x 120"	188	-	7	-								\$ -
Pike pole, 12 ft Standard head		1.25" x 1.25" x 144"	225	-	8	-								\$ -
Pike pole, closet hook, 3 ft		1.25" x 1.25" x 36"	56	-	5	-								\$ -
Hose														
Hose, booster, 3/4 in. x 100 ft		.75 od x 1200	5,659	-	46	-								\$ -
Hose, booster, 3/4 in. x 50 ft		.75 od x 600	2,826	-	28	-								\$ -
Hose, booster, 1 in. x 100 ft		1.00 od x 1200	7,542	-	58	-								\$ -
Hose, booster, 1 in. x 50 ft		1.00 od x 600	3,774	-	30.5	-								\$ -
Hose, double jacket, 1 1/2 in. x 50 ft in a roll		3 x 18.5 x 18.5	1,027	-	18	-								\$ -
Hose, double jacket, 1 3/4 in. x 50 ft, with 1 1/2 in. couplings in a roll		3.25 x 18.5 x 18.5	1,112	-	19	-								\$ -
Hose, double jacket, 2 1/2 in. x 50 ft in a roll		4.5 x 20 x 20	1,800	-	32	-								\$ -
Hose, double jacket, 2 in. x 50 ft, with 1 1/2 in. couplings in a roll		3.75 x 18.5 x 18.5	1,283	-	20.5	-								\$ -
Hose, double jacket, 3 in. x 50 ft, with 2 1/2 in. couplings in a roll		5.25 x 20 x 20	2,100	-	40	-								\$ -
Hose, forestry, 1 in. x 100 ft in a roll		1.5 x 32 x 32	1,536	-	20	-								\$ -
Hose, light weight, cotton, 1 1/2 in. x 100 ft in a roll		3.25 x 30 x 30	2,925	-	22	-								\$ -
Hose, light weight, cotton, 1 1/2 in. x 50 ft in a roll		3.25 x 15 x 15	731	-	11.5	-								\$ -
Hose, light weight, cotton, 2 in. x 50 ft, with 1 1/2 in. couplings in a roll		3.75 x 15.5 x 15.5	901	-	14	-								\$ -
Hose, light weight, cotton, 4 in. x 100 ft, with Storz couplings in a roll		5.75 x 24 x 24	3,312	-	68	-								\$ -
Hose, light weight, cotton, 5 in. x 100 ft, with Storz couplings in a roll		6.75 x 25 x 25	4,219	-	84	-								\$ -
Hose, light weight, nitrile jacket, 1 in. x 100 ft in a roll		5.200	5,200	-	33	-								\$ -
Hose, LW, Nitrile Jacket, 1" x 50' (roll)		3.25 x 20 x 20	1,300	-	18	-								\$ -
Hose, light weight, nitrile jacket, 2 in. x 50 ft in a roll		3.75 x 21 x 21	1,654	-	24	-								\$ -
Hose, light weight, nitrile jacket, 4 in. x 100 ft, w/ Storz coupling in a roll		5.75 x 24 x 24	3,312	-	75	-								\$ -
Hose, light weight, nitrile jacket, 5 in. x 100 ft, w/ Storz coupling in a roll		6.75 x 26.5 x 26.5	4,687	-	97	-								\$ -
Suction Hose														
Hose, hard suction, 2 1/2 in. x 8 ft		4.6 x 3.25 x 99	1,480	-	22	-								\$ -
Hose, hard suction, 2 1/2 in. x 10 ft		4.6 x 3.25 x 123	1,839	-	27	-								\$ -
Hose, hard suction, 4 in. x 10 ft		11 x 5.25 x 126	7,277	-	42	-								\$ -
Hose, hard suction, 4 1/2 in. x 10 ft		11.5 x 5.75 x 126	8,332	-	58	-								\$ -
Hose, hard suction, 5 in. x 10 ft		12 x 5.75 x 126	8,694	-	87	-								\$ -
Hose, hard suction, 6 in. x 10 ft		12.75 x 7 x 126	11,246	-	102	-								\$ -

FAMA EQUIPMENT WEIGHT AND CUBE CALCULATOR

EQUIPMENT DESCRIPTION	EQUIP SOURCE CODE	DIMENSIONS (Inches)	CUBE EACH (Inches)	CUBE TOTAL (Inches)	WEIGHT EACH (Pounds)	WEIGHT TOTAL (Pounds)	NFPA RQRD (Y/N)	EQUIP EXIST (QTY)	EQUIP NEW (QTY)	MFGR	MODEL	PURCH DATE	COST UNIT	COST TOTAL
Strainers				-		-								\$ -
Strainer, barrel, 2 1/2 in.		7x7x6.88	337	-	3	-								\$ -
Strainer, barrel, 4 in.		8.25x8.25x10	681	-	4.5	-								\$ -
Strainer, barrel, 4 1/2 in.		8.25x8.25x10	681	-	4.5	-								\$ -
Strainer, basket, 3 in.		5.5x6.5x4.88	174	-	2	-								\$ -
Strainer, basket, 4 in.		5.75 x 5.75 X 15.25	504	-	11.25	-								\$ -
Strainer, floating, 4 1/2 in.		27 x 16 x 9	3,888	-	17	-								\$ -
Strainer, floating, 5 in.		27 x 16 x 9	3,888	-	17	-								\$ -
Strainer, floating, 6 in.		27 x 16 x 9	3,888	-	17	-								\$ -
Strainer, low level, 5 in.		16 x 18 x 12	3,456	-	12	-								\$ -
Strainer, low level, 6 in.		16 x 18 x 12	3,456	-	12	-								\$ -
Strainer rope, 20 ft x 0 1/2 in.		.5 x .5 x 240	60	-	1	-								\$ -
Portable or Folding Tank				-		-								\$ -
Tank, portable, 1000 gallon		99 x 7 x 30	15,225	-	95	-								\$ -
Tank, portable, 2000 gallon		135 x 7 x 30	28,350	-	165	-								\$ -
Tank, portable, 3000 gallon		159 x 7 x 30	33,390	-	185	-								\$ -
Nozzles				-		-								\$ -
Deck gun, mounted, 2 1/2 in., manual type		14.5x16.75x17	4,129	-	55	-								\$ -
Deck gun, portable, 2 1/2 in., manual type		9 x 7.25 x 14.25	930	-	14	-								\$ -
Nozzle, booster, 1 in. aluminum		8x4.25x8.13	276	-	3	-								\$ -
Nozzle, cellar, 1 1/2 in., brass		3.25x3.25x3.5	37	-	4.25	-								\$ -
Nozzle, cellar, 2 1/2 in., brass		5x5x5.13	128	-	4.5	-								\$ -
Nozzle, chimney, w/accessory bag		20 x 12 x 6.5	1,560	-	15	-								\$ -
Nozzle, foam attachment, 1 1/2 in.		4.75x3.38x16.75	269	-	2.25	-								\$ -
Nozzle, foam, 2 1/2 in., with pickup tube		3.5x3.5x38	466	-	6	-								\$ -
Nozzle, foam, deck gun, with pickup hose		9x9x7 & 40 x 1 x 1	607	-	12	-								\$ -
Nozzle, fog, deck gun		9x9x10	810	-	13	-								\$ -
Nozzle, forestry, 1 in.		1.75x1.75x4	12	-	0.5	-								\$ -
Nozzle, handline, 1 1/2 in. aluminum		9.5x4.25x9.13	369	-	4	-								\$ -
Nozzle, handline, 1 1/2 in. brass		10x4.25x8.63	367	-	7.75	-								\$ -
Nozzle, handline, 2 1/2 in. aluminum		4.5x6x11.5	311	-	6.25	-								\$ -
Nozzle, handline, 2 1/2 in. brass		6x4x10	240	-	13	-								\$ -
Nozzle, piercing, 1 1/2 in.		3x5.5x36	594	-	11	-								\$ -
Nozzle, play pipe with stream shaper, 2 1/2 in.		5x10x12	600	-	5.5	-								\$ -
Nozzle, play pipe, with shaper, deck gun, 2 1/2 in. aluminum		3.5 x 3.5 x 3	37	-	1.5	-								\$ -
Nozzle, play pipe, with shaper, deck gun, 2 1/2 in. brass		3.5 x 3.5 x 3	37	-	3.5	-								\$ -
Nozzle, playpipe, 2 1/2 in. aluminum		5x10x12	600	-	5.5	-								\$ -
Nozzle, playpipe, 2 1/2 in. brass		5x10x12	600	-	12	-								\$ -
Nozzle, stacked tips, aluminum, 2 1/2 in.		2.5x2.5x9.63	60	-	1.5	-								\$ -
Nozzle, stacked tips, brass, 2 1/2 in.		2.5x2.5x9.63	60	-	8	-								\$ -
Nozzle, stacked tips, deck gun, aluminum, 2 1/2 in.		3.88x3.88x16.88	254	-	2.88	-								\$ -
Nozzle, straight tip, 1 1/2 in. aluminum, w/shut-off		1.5x4x8.25	60	-	3	-								\$ -
Nozzle, straight tip, 1 1/2 in. brass, w/shut-off		1.5x4x8.25	180	-	6.25	-								\$ -
Nozzle, water curtain, 2 1/2 in.		8.5 x 8.5 x 10	722	-	11.5	-								\$ -
Adapters, fittings, caps				-		-								\$ -
Adapter, 4 in. female threaded x 4 in. Storz, aluminum		3.75 x 6 ID	106	-	2.5	-								\$ -
Adapter, 4 in. female threaded x 5 in. Storz, aluminum		3.5 x 7.75 ID	165	-	2.5	-								\$ -
Adapter, 4 in. Storz x 5 in. Storz, aluminum		3.75 x 7.75 ID	47	-	2.5	-								\$ -
Adapter, 4 1/2 in. female threaded x 4 in. Storz, aluminum		3.75 x 6.5 ID	124	-	2.5	-								\$ -
Adapter, 4 1/2 in. female threaded x 5 in. Storz, aluminum		3.5 x 7.75 ID	165	-	2.5	-								\$ -
Adapter, 5 in. female threaded x 4 in. Storz, aluminum		3.5 x 6 ID	113	-	2.5	-								\$ -
Adapter, 5 in. female threaded x 5 in. Storz, aluminum		4 x 7.75 ID	47	-	2.5	-								\$ -
Adapter, 6 in. female threaded x 4 in. Storz, aluminum		3.5 x 8.75 ID	211	-	2.5	-								\$ -
Adapter, 6 in. female threaded x 5 in. Storz, aluminum		4 x 8.75 ID	47	-	2.5	-								\$ -
Adapter, 6 in. female threaded x 6 in. Storz, aluminum		4 x 8.75 ID	47	-	2.5	-								\$ -

FAMA EQUIPMENT WEIGHT AND CUBE CALCULATOR

EQUIPMENT DESCRIPTION	EQUIP SOURCE CODE	DIMENSIONS (Inches)	CUBE EACH (Inches)	CUBE TOTAL (Inches)	WEIGHT EACH (Pounds)	WEIGHT TOTAL (Pounds)	NFPA RQRD (Y/N)	EQUIP EXIST (QTY)	EQUIP NEW (QTY)	MFGR	MODEL	PURCH DATE	COST UNIT	COST TOTAL
Adapter, 1 1/2 in. double female, aluminum		3 x 2.5 ID	15	-	0.38	-								\$ -
Adapter, 1 1/2 in. double female, brass		3 x 2.5 ID	15	-	2	-								\$ -
Adapter, 2 1/2 in. double female, aluminum		3.25 x 4 ID	41	-	1.25	-								\$ -
Adapter, 2 1/2 in. double female, brass		3.25 x 4 ID	41	-	3.5	-								\$ -
Adapter, 1 1/2 in. double male, aluminum		2.5 x 2 ID	8	-	0.25	-								\$ -
Adapter, 1 1/2 in. double male, brass		2.5 x 2 ID	8	-	2.25	-								\$ -
Adapter, 2 1/2 in. double male, aluminum		3 x 4 ID	38	-	0.63	-								\$ -
Adapter, 2 1/2 in. double male, brass		3 x 4 ID	38	-	2.75	-								\$ -
Adapter, 1 1/2 in. female x 1 in. male, aluminum		1.5 x 3 ID	7	-	0.5	-								\$ -
Adapter, 1 1/2 in. female x 1 in. male, brass		1.5 x 3 ID	7	-	1.5	-								\$ -
Adapter, 2 1/2 in. female x 1 1/2 in. male, aluminum		2 x 4 ID	25	-	0.5	-								\$ -
Adapter, 2 1/2 in. female x 1 1/2 in. male, brass		2 x 4 ID	25	-	3	-								\$ -
Elbow, 2 1/2 in. female x 2 1/2 in. male, 30 degree, brass		6.5 x 4.5 ID	103	-	4.5	-								\$ -
Elbow, 2 1/2 in. female threaded x 4 in. Storz, 30 degree, aluminum		7.5 x 6 ID	212	-	6	-								\$ -
Elbow, 2 1/2 in. female threaded x 5 in. Storz, 30 degree, aluminum		7.5 x 7.5 ID	331	-	6.5	-								\$ -
Elbow, 3 in. female threaded x 4 in. Storz, 30 degree, aluminum		7.5 x 6 x 6	270	-	6.5	-								\$ -
Elbow, 3 in. female threaded x 5 in. Storz, 30 degree, aluminum		7.5 x 7.5 x 7.5	422	-	7	-								\$ -
Elbow, 4 in. female threaded x 4 in. Storz, 30 degree, aluminum		8 x 6 x 6	288	-	8	-								\$ -
Elbow, 4 in. female threaded x 5 in. Storz, 30 degree, aluminum		8 x 7.5 x 7.5	450	-	8.5	-								\$ -
			-	-	-	-								\$ -
			-	-	-	-								\$ -
Intake valves														\$ -
Intake valve, 5 in. female threaded x 4 in. Storz, with relief valve, aluminum		18.1 x 9.5 x 12	2,063	-	30	-								\$ -
Intake valve, 5 in. female threaded x 4 in. Storz, with relief valve, brass														\$ -
		18.1 x 9.5 x 12	2,063	-	63.5	-								\$ -
Intake valve, 5 in. female x 5 in. M, with relief valve, aluminum		18.1 x 9.5 x 12	2,063	-	30	-								\$ -
Intake valve, 5 in. female x 5 in. M, with relief valve, brass														\$ -
		18.1 x 9.5 x 12	2,063	-	63.5	-								\$ -
Intake valve, 5 in. female threaded x 5 in. Storz, with relief valve, aluminum		18.1 x 9.5 x 12	2,063	-	30	-								\$ -
Intake valve, 5 in. female threaded x 5 in. Storz, with relief valve, brass														\$ -
		18.1 x 9.5 x 12	2,063	-	63.5	-								\$ -
Intake valve, 6 in. female threaded x 4 in. Storz, with relief valve, aluminum		18.1 x 9.5 x 12	2,063	-	30	-								\$ -
Intake valve, 6 in. female threaded x 4 in. Storz, with relief valve, brass														\$ -
		18.1 x 9.5 x 12	2,063	-	63.4	-								\$ -
Intake valve, 6 in. female threaded x 5 in. Storz, with relief valve, aluminum		18.1 x 9.5 x 12	2,063	-	30	-								\$ -
Intake valve, 6 in. female threaded x 5 in. Storz, with relief valve, brass														\$ -
		18.1 x 9.5 x 12	2,063	-	63.5	-								\$ -
Intake valve, 6 in. female x 6 in. male, with relief valve, aluminum		18.1 x 9.5 x 12	2,063	-	30	-								\$ -
Intake valve, 6 in. female x 6 in. male, with relief valve, brass														\$ -
		18.1 x 9.5 x 12	2,063	-	63.5	-								\$ -
			-	-	-	-								\$ -
			-	-	-	-								\$ -
Hose equipment														\$ -
Intake valve, gated, 4 1/2 in. female x 2 1/2 in. male, aluminum		7.5x11x9.5	784	-	16.75	-								\$ -
Siamese, gated, 5 in. female x (3) 2 1/2 in. female		7.5x11x9.5	784	-	17	-								\$ -
Siamese, gated, 6 in. female x (3) 2 1/2 in. female		7.5x11x9.5	784	-	17.25	-								\$ -
Siamese, gated, 4 1/2 in. female x (2) 2 1/2 in. female		7.5x11x9.5	784	-	16.75	-								\$ -
Siamese, gated, 5 in. female x (2) 2 1/2 in. female		7.5x11x9.5	784	-	17	-								\$ -
Siamese, gated, 6 in. female x (2) 2 1/2 in. female		7.5x11x9.5	784	-	17.25	-								\$ -
Valve, hydrant, 2 1/2 in. female x 2 1/2 in. male, aluminum		7.75x4.75x7.25	267	-	7.5	-								\$ -
Water thief, gated, 2 1/2 in. female x 2 1/2 in. male, x (2) 1 1/2 in. male, aluminum		7.5x10.25x9.38		-		-								\$ -
			721	-	12	-								\$ -
Valve, hydrant, 2 1/2 in. female x 2 1/2 in. male, brass		10.75 x 4.75 x 7.75	396	-	14	-								\$ -
Wye, gated, 1 1/2 in. female x (2) 1 in. male, aluminum		4.25x7x5.5	164	-	3	-								\$ -
Wye, gated, 1 1/2 in. female x (2) 1 1/2 in. male, aluminum		4.25x7x5.5	164	-	3	-								\$ -
Wye, gated, 2 1/2 in. female x (2) 1 1/2 in. male, aluminum		5.75x6.75x5.75	223	-	5.5	-								\$ -
Wye, gated, 4 in. Storz distribution, with relief valve		15 x 8.75 x 11.25	1,477	-	24	-								\$ -
Wye, gated, 4 in. Storz distribution, with relief valve		15 x 8.75 x 11.25	1,477	-	24	-								\$ -
			-	-	-	-								\$ -
			-	-	-	-								\$ -
Foam Equipment														\$ -
Eductor, foam, 1 1/2 in. female x 1 1/2 in. male		3x3x7.75	70	-	7.75	-								\$ -
Eductor, foam, 2 1/2 in. female x 2 1/2 in. male		4x4x8	128	-	8.25	-								\$ -
Eductor, foam, pickup tube		5x2.5x55	688	-	4.25	-								\$ -

FAMA EQUIPMENT WEIGHT AND CUBE CALCULATOR

EQUIPMENT DESCRIPTION	EQUIP SOURCE CODE	DIMENSIONS (Inches)	CUBE EACH (Inches)	CUBE TOTAL (Inches)	WEIGHT EACH (Pounds)	WEIGHT TOTAL (Pounds)	NFPA RQRD (Y/N)	EQUIP EXIST (QTY)	EQUIP NEW (QTY)	MFGR	MODEL	PURCH DATE	COST UNIT	COST TOTAL
Foam, Class A, 5 gallon pail		14.5 x 11.25 x 11.25	1,835	-	45	-								\$ -
Foam, Class B, 5 gallon pail		14.5 x 11.25 x 11.25	1,835	-	45	-								\$ -
Foam system, CAFS, wheeled		23.5 x 30.5 x 42	30,103	-	129	-								\$ -
Foam system, CAFS, skid		20 x 33 x 22	14,520	-	325	-								\$ -
Fire Ground Hand Tools														
Axe, 6 lb flat head		Head 8.75 x 5.25 x 1.25, handle 1.5 x 1.5 x 33	131	-	8	-								\$ -
Axe, 6 lb pick head		Head 11.5 x 5.25 x 1.25, handle 1.5 x 1.5 x 33	149	-	8.5	-								\$ -
Crow bar, 36 in.		36 x 4 x .75	108	-	3.5	-								\$ -
Pry bar, 48 in.		48 x 1 x 1	48	-	12.5	-								\$ -
Halligan tool		Body 29 x 2.5 x 1.75, Point 4.25 x 1 x 1, Flat 3.25 x 1.75 x .75	135	-	10.5	-								\$ -
Long Hand Tools														
Shovel, scoop, 48 in. D-handle		Scoop 11 x 9 x 3, handle 49 x 1.5 x 1.5	407	-	4.5	-								\$ -
Shovel, square end, 48 in. D-handle		Scoop 9 x 11 x 3, handle 49 x 1.5 x 1.5	407	-	4	-								\$ -
Shovel, round end, 48 in. D-handle		Scoop 11.5 x 8.5 x 3, Handle 49 x 1.5 x 1.5	403	-	4	-								\$ -
Hammer, 10 lb sledge		Head 6.75 x 2.75 x 2.75, handle 1.75 x 1.75 x 33	152	-	13.5	-								\$ -
Fire Extinguishers														
Extinguisher, 15 lb carbon dioxide(CO2)		30 x 12wd x 7d	2,520	-	37.75	-								\$ -
Extinguisher, 10 lb dry chemical		20 x 7.75wd x 5d	775	-	18	-								\$ -
Extinguisher, 20 lb dry chemical		23.25 x 10.25 x 7	1,668	-	38	-								\$ -
Extinguisher, 2 1/2 gallon pressurized foam		24.5 x 9 x 7	1,544	-	11 empty	-								\$ -
Extinguisher, 20 lb metal-X		32 x 13 x 8	3,328	-	53	-								\$ -
Extinguisher, 2 1/2 gallon pressurized water		24.5 x 9 x 7	1,544	-	7.5 empty	-								\$ -
Hose and Coupling Equipment														
Hose bridge, steel		24 x 72 x 6	10,368	-	90	-								\$ -
Hose clamp, manual		10.5x8x30	2,520	-	16	-								\$ -
Hose hoist, edge protector		8.5x8x12.5	850	-	7.13	-								\$ -
Hose jacket, 2 1/2 in.		8.5x6x13	663	-	16.5	-								\$ -
Hose jacket, 3 in.		9.5x7x19.75	1,313	-	26.75	-								\$ -
Hose roller, air remover		20 x 5.5 x 3	330	-	5.5	-								\$ -
Hose strap		4.5x2x36	324	-	1	-								\$ -
Mallet, Rubber		Head 4 x 2 x 2 Handle 12 x 1 x 1	28	-	2.5	-								\$ -
Wrench, booster hose pin hole		11.5 x 3.75 x .5	216	-	0.5	-								\$ -
Wrench, spanner hose		2.25x.25x11.5	6	-	0.5	-								\$ -
Wrench, hydrant		3x1.5x18.63	84	-	4.5	-								\$ -
Wrench, large diameter hose, LDH - Aluminum		16.2 x 4.4 x .5	36	-	1	-								\$ -
Wrench, combination spanner		3x.5x10.25	15	-	0.5	-								\$ -
Wrench, folding spanner		2x.5x5.13	5	-	0.25	-								\$ -
Smoke Ejectors														
Smoke ejector, 16 in. electric		19.25 x 18.75 x 13	4,692	-	44	-								\$ -
Smoke ejector, 20 in. electric		25.25 x 24.75 x 16.25	10,155	-	93	-								\$ -
Smoke ejector, 24 in. electric		28.5 x 28 x 18.75	14,963	-	115	-								\$ -
Fan, smoke ejector, 30", electric		34.5x 34x 24.5	28,738	-	132	-								\$ -
Fan, positive pressure, electric		25.5 x 24.5 x 18.75	11,714	-	86	-								\$ -
Fan, positive pressure, gasoline engine powered		19.5 x 19 x 15.5	5,743	-	49	-								\$ -
Door bar and holder for smoke ejector		3 x 4 x 29	348	-	8	-								\$ -
Traffic Control Equipment														

FAMA EQUIPMENT WEIGHT AND CUBE CALCULATOR

EQUIPMENT DESCRIPTION	EQUIP SOURCE CODE	DIMENSIONS (Inches)	CUBE EACH (Inches)	CUBE TOTAL (Inches)	WEIGHT EACH (Pounds)	WEIGHT TOTAL (Pounds)	NFPA RQRD (Y/N)	EQUIP EXIST (QTY)	EQUIP NEW (QTY)	MFGR	MODEL	PURCH DATE	COST UNIT	COST TOTAL
Traffic cone, plastic		8 x 8 x 3.5	224	-	10.5	-								\$ -
Traffic flares, case		18x14x10	2,520	-	27	-								\$ -
Tape, barrier, plastic roll		3.5 x 6.75 x 6.75	159	-	3.5	-								\$ -
Vest, reflective		12 x 4.75 x 2	114	-	0.5	-								\$ -
				-	-	-								\$ -
				-	-	-								\$ -
Small Rescue or Entry Equipment				-	-	-								\$ -
Bolt cutter, 30 in. manual.		30 x 6.25 x 1.25	234	-	8	-								\$ -
Air hose, low pressure utility with couplings		600 x 0.75 x 0.75	338	-	5.5	-								\$ -
Battering ram		20 x 6 x 6	720	-	20	-								\$ -
Saw, cut off		19 x 14 x 15	3,990	-	35	-								\$ -
Panel cutter		7 x 1 x .5	4	-	0.5	-								\$ -
Entry "K tool"		3x3x1	9	-	1	-								\$ -
Entry tool, hydraulic rabbit		24 x 18 x 8	3,456	-	28	-								\$ -
				-	-	-								\$ -
Small Hand Tools				-	-	-								\$ -
Chisel, cold, 1 in. x 12 in.		12 x 1 x 1	12	-	1	-								\$ -
Chisel, cold, 1/2 in. x 6 in.		6 x 0.5 x 0.5	2	-	0.5	-								\$ -
Chisel, cold, 1/4 in. x 6 in.		6 x .25 x 2.5	3,075	-	0.5	-								\$ -
Chisel, cold, 3/4 in. x 10 in.		10 x 0.75 x 0.75	6	-	0.5	-								\$ -
Cutter, glass, glazier's swivel		12 x 4 x 6	288	-	4	-								\$ -
Hammer drill, battery powered		16.5 x 4.5 x 9	668	-	7	-								\$ -
File, metal, 10 in.		10 x .75 x .25	2	-	0.5	-								\$ -
Hammer, ball peen, 12 oz.		13 x 3.5 x 1	46	-	1	-								\$ -
Hammer, ball pean, 16 oz.		13 x 3.75 x 1	49	-	1.5	-								\$ -
Hammer, ball pean, 24 oz.		13.25 x 3.75 x 1.25	62	-	2	-								\$ -
Hammer, ball pean, 36 oz.		13.25 x 4 x 1.25	66	-	2.5	-								\$ -
Hammer, claw		14.5 x.5 x 1.25	9	-	2.2	-								\$ -
Knife, cutter, seat belt		4 x 2 x 0.25	2	-	0.5	-								\$ -
Knife, putty, 1/4 in.		7.25 x 1.25 x 0.5	5	-	0.5	-								\$ -
Knife, utility		6 x 1.25 x 0.75	6	-	0.5	-								\$ -
Pliers, 10 in. acc joint		10 x 2.25 x 0.5	11	-	0.5	-								\$ -
Pliers, 16 in.arc joint		16 x 4.5 x 0.5	36	-	0.5	-								\$ -
Pliers, 8 in. diagonal cutting		8 x 2 x 0.5	8	-	0.5	-								\$ -
Pliers, 8 in. lineman's		8 x 2 x 0.5	8	-	0.5	-								\$ -
Pliers, 6 in. needle nose		6 x 2 x 0.5	6	-	0.5	-								\$ -
Pliers, 8 in. slip joint		8 x 1.75 x 0.5	7	-	0.5	-								\$ -
Pliers, 10 in. vise grip		10 x 2 x 0.5	10	-	1	-								\$ -
Punch, center		4 x 0.25 x 0.25	0	-	0.5	-								\$ -
Punch, window, spring loaded		5 x 0.5 x 0.5	1	-	0.5	-								\$ -
Saw, drywall		8.5 x 1 x 1	9	-	0.5	-								\$ -
Saw, hacksaw with spare blades		18.5 x 4 x 1	74	-	1.5	-								\$ -
Saw, crosscut or rip		28 x 6 x 1	168	-	1.5	-								\$ -
Screwdriver, #2 x 6 Phillips		8 x 1.25 x 1.25	13	-	0.5	-								\$ -
Screwdriver, #3 x 8 Phillips		10.25 x 1.25 x 1.25	16	-	0.5	-								\$ -
Screwdriver, 1/4 x 2.5 slotted		2.5 x 1 x 1	3	-	0.5	-								\$ -
Screwdriver, 1/4 x 6 slotted		8 x 1 x 1	8	-	0.5	-								\$ -
Screwdriver, 3/8 x 12 slotted		12 x 1.25 x 1.25	19	-	0.5	-								\$ -
Screwdriver, 5/16 x 8 slotted		10 x 1.25 x 1.25	16	-	0.5	-								\$ -
Shears, metal cutting		9.5 x 2.5 x 0.75	18	-	0.5	-								\$ -
Socket, spark plug		2.75 x 1 x 1	3	-	0.5	-								\$ -
Tape, measure		3.25 x 3.25 x 1.25	13	-	0.5	-								\$ -
Tool box, 20 in.		20 x 8 x 9	1,440	-	10.5	-								\$ -
Axe, hand		15.5 x 5.5 x 1	85	-	3.5	-								\$ -
Wrench, 12 in. adjustable		12 x 3 x 0.25	9	-	1.5	-								\$ -
Wrench, 8 in. adjustable		8 x 2 x 0.25	4	-	0.5	-								\$ -
Wrench, 10 in. adjustable		10 x 2.5 x 0.25	6	-	1	-								\$ -
Wrench set, combination, metric 8 mm to 18 mm (11 piece)		13 x 12 x 1	156	-	2.5	-								\$ -
Wrench set, combination, SAE 5/16 in. to 1 in. (11 piece)		13 x 12 x 1	156	-	2.5	-								\$ -
Wrench, gas shutoff		8 x 1.5 x 0.5	6	-	0.5	-								\$ -

FAMA EQUIPMENT WEIGHT AND CUBE CALCULATOR

EQUIPMENT DESCRIPTION	EQUIP SOURCE CODE	DIMENSIONS (Inches)	CUBE EACH (Inches)	CUBE TOTAL (Inches)	WEIGHT EACH (Pounds)	WEIGHT TOTAL (Pounds)	NFPA RQRD (Y/N)	EQUIP EXIST (QTY)	EQUIP NEW (QTY)	MFGR	MODEL	PURCH DATE	COST UNIT	COST TOTAL
Wrench, 18 in. pipe		18 x 3 x .5	27	-	6	-								\$ -
Wrench, 3/8 in. ratchet drive, Metric 8 mm to 18 mm (24 piece)		9.75 x 7.5 x 3	219	-	3.5	-								\$ -
Wrench, 3/8 in. ratchet drive, SAE 3/8 in. to 3/4 in. (24 piece)		9.75 x 7.5 x 2	219	-	3.5	-								\$ -
Wrench, tire lug		27.75 x 1 x 1	28	-	4.5	-								\$ -
Miscellaneous Equipment														
Gauge, air pressure, tires		6.25 x 1 x .5	3	-	0.5	-								\$ -
Sprinkler, wedges, set		3 x .75 x 1	2	-	0.5	-								\$ -
Elevator, key		8.25 x 0.25 x 0.25	1	-	0.5	-								\$ -
Hooks, hay bail		Hook 10 x 0.5 x 0.5, handle 3 x 4.5 x 0.5	9	-	1.5	-								\$ -
Fork, 4-tine spade-type		Tines 12 x 8.75 x 0.5, handle 48 x 1.5 x 1.5	161	-	3.5	-								\$ -
Wrench, water main, shut off		8 x 1.5 x 0.5	6	-	0.5	-								\$ -
Man hole cover lifter		44.1 x 10.2 x 6.7	3,014	-	35.5	-								\$ -
Pump, portable, water, small gasoline powered		17.5 x 16 x 19.5	5,460	-	50	-								\$ -
Saw, chain, 61 cc gasoline engine with 19 in. bar		Engine 16.75 x 9.5 x 11.25, bar 19 x 3.75 x 0.25	1,808	-	19	-								\$ -
Brush, foxtail		8 x 1 x 1	8	-	0.5	-								\$ -
		Juction Boxes 6.75 x 5.25 x 2.5, 5.25 x 3.6 x 3.1, 7 x 4.3 x 3.1, 8.25 x 5.75 x 4.75 Headset 8.5 x 7.5 x 3	1,231	-	31.5	-								\$ -
Intercom, system, w/four headsets			225	-	2	-								\$ -
Meals ready to eat (MRE)		12 x 7.5 x 2.5	187	-	4.6	-								\$ -
Tent, fire shelter		21 x 11.25 x 12	2,835	-	15.5	-								\$ -
Wheel chocks, large		14.9 x 8 x 8.5	1,013	-	7.5	-								\$ -
Wheel chocks, small				-		-								\$ -
Electrical Equipment--Low Voltage														
Battery, cable puller		4 x 2.5 x 0.5	5	-	2	-								\$ -
Battery jumper cables		10 x 12 x 2.5	300	-	8	-								\$ -
Flashlight, small, with batteries		10.25 x 2.25 x 2.25	52	-	1.5	-								\$ -
Lantern, battery powered head lamp		3 x 4 x 2	24	-	1.5	-								\$ -
Lanterns, battery powered hand		11.5 x 4.5 x 6.5	336	-	6.5	-								\$ -
				-		-								\$ -
				-		-								\$ -
Personnel Equipment														
Belt, ladder		15 x 5 x 1.75	131	-	4.5	-								\$ -
Harness, safety		12 x 4 x 4	192	-	2.5	-								\$ -
Light sticks, Cyalume (box)		6 x 6 x 8	288	-	1	-								\$ -
Masks, dust (box)		8 x 5 x 5	200	-	1	-								\$ -
Life line in bail out bag		7.5 x 7.5 x 3.5	197	-	2	-								\$ -
Water, canteen, 2 qt		7.5 x 3.5 x 8.5	223	-	2	-								\$ -
Water container, 5 gal with water		19.25 x 14.5 x 13	3,628	-	40	-								\$ -
Water container, 5 gal without water		19.25 x 14.5 x 13	3,628	-	8	-								\$ -
				-		-								\$ -
				-		-								\$ -
Personnel Gear														
Clothing, parkas		20 x 30 x 4	2,400	-	3	-								\$ -
Gear, fire entry suit		34 x 24 x 23	18,768	-	50	-								\$ -
Gloves, disposable (box)		10 x 5 x 3	150	-	1.5	-								\$ -
Gloves, leather (pair)		9 x 4.5 x .75	30	-	0.5	-								\$ -
Gloves, lineman's		18 x 6 x 1	108	-	3	-								\$ -
Gloves, 8 in. neoprene (pair)		12 x 5 x 2	120	-	1	-								\$ -
Gloves, 8 in. PVC (pair)		6.5 x 5.5 x 2	72	-	0.5	-								\$ -
Gloves, 8 in. rubber, nitrile (pair)		7.5 x 4.5 x 1.25	42	-	0.5	-								\$ -
Goggles, safety		6 x 3.5 x 2.5	53	-	0.5	-								\$ -
Helmet, hard hat		12.5 x 8 x 7	700	-		-								\$ -
Helmet, rescue		10 x 9 x 7	630	-	1.5	-								\$ -
				-		-								\$ -

FAMA EQUIPMENT WEIGHT AND CUBE CALCULATOR

EQUIPMENT DESCRIPTION	EQUIP SOURCE CODE	DIMENSIONS (Inches)	CUBE EACH (Inches)	CUBE TOTAL (Inches)	WEIGHT EACH (Pounds)	WEIGHT TOTAL (Pounds)	NFPA RQRD (Y/N)	EQUIP EXIST (QTY)	EQUIP NEW (QTY)	MFGR	MODEL	PURCH DATE	COST UNIT	COST TOTAL
SCBA Equipment and Cylinders														
PASS		2 x 3.25 x 1.5	10	-	0.5	-								\$ -
SCBA, cylinder, 4500 PSI 30 min, spare		22.5 x 7 x 7	1,103	-	17	-								\$ -
SCBA, pack, 4500 PSI cylinder,w/PASS & mask		22 x 14 x 7	2,156	-	30.5	-								\$ -
Instruments														
Detector, heat		6.8 x 2.6 x 2.2	39	-	0.75	-								\$ -
Monitor, combustionable gas		3.75 x 1.75 x 1	7	-	0.5	-								\$ -
Monitor, gas, combustionable		5.75 x 6 x 3.25	112	-	2.5	-								\$ -
Monitor, oxygen		2 x 3.25 x 1.25	8	-	0.5	-								\$ -
Electrical voltage tester		3 x 8 x 1.5	36	-	2.5	-								\$ -
Detector, gas		8.25 x 3.75 x 3.25	101	-	3.5	-								\$ -
Radition, Geiger counter		5.75 x 2.75 x 1.5	24	-	1	-								\$ -
Detector, Dosimeter		2.75 x 5 x 1.5	21	-	0.5	-								\$ -
Detector, microwave leak		6 x 2.5 x 1.25	19	-	1.5	-								\$ -
Kit, sample gathering		21 x 17 x 8.5	3,035	-	23	-								\$ -
Hydraulic Rescue Tools & Equipment														
HRT, cutter, aircraft type		28.2 x 11 x 7.3	2,264	-	39	-								\$ -
HRT hose, 16 ft		1 x 1 x 192	192	-	8	-								\$ -
HRT hose, 30 ft		1 x 1 x 360	360	-	16.5	-								\$ -
HRT manifold block		16 x 8 x 5	640	-	15	-								\$ -
HRT electric simo pump		28 x 9.5 x 20.7	5,506	-	176	-								\$ -
HRT electric single pump		22 x 9.5 x 20.7	4,326	-	133	-								\$ -
HRT gasoline powered pump		22 x 17.5 x 20.7	7,970	-	123	-								\$ -
HRT long ram		35 x 3.1 x 7	760	-	36.5	-								\$ -
HRT medium ram		22 x 3.1 x 7	477	-	24.5	-								\$ -
HRT short ram		15 x 3.1 x 7	326	-	18	-								\$ -
HRT reel and 50 ft hose		25 x 20 x 20	10,000	-	100	-								\$ -
HRT large spreader		33.25 x 5.5 x 8.25	1,509	-	62	-								\$ -
HRT combination tool		33 x 11 x 6.3	2,287	-	38	-								\$ -
HRT, tool, electric combination		33.5 x 10.2 x 6.8	2,324	-	50	-								\$ -
Hydraulic Porta-Power, 10 ton		3 x 19 x 5	285	-	10.5	-								\$ -
Air Rescue Equipment and Bags														
Air bag, controller		19.5 x 14.5 x 5.5	1,555	-	13	-								\$ -
Air bag, high pressure, 6 x 6		6 x 6 x 1	36	-	2	-								\$ -
Air bag, high pressure, 8 x 8		8 x 8 x 1	64	-	3.6	-								\$ -
Air bag, high pressure, 15 x 15		15 x 15 x 1	225	-	10	-								\$ -
Air bag, high pressure, 17 x 17		20 x 20 x 1	400	-	15.5	-								\$ -
Air bag, high pressure, 22 x 22		22 x 22 x 1	484	-	16	-								\$ -
Air bag, high pressure, 24 x 24		24 x 24 x 1	576	-	22	-								\$ -
Air bag, high pressure, 27 x 27		28 x 28 x 1	784	-	23	-								\$ -
Air bag, high pressure, 30 x 30		32 x 32 x 1	1,024	-	26	-								\$ -
Air bag, high pressure, 36 x 36		37 x 37 x 1	1,369	-	60	-								\$ -
Air bag, low pressure		27.5 x 27.5 x 1	1,739	-	20	-								\$ -
Air bag pressure regulator		7 x 6 x 4.5	189	-	3	-								\$ -
Air chisel set with air cylinder		26 x 11.5 x 11.5	3,439	-	32	-								\$ -
Air powered drill		9.5 x 8.5 x 3.5	283	-	5	-								\$ -
Air powered hammer		2 x 8.5 x 6	102	-	4	-								\$ -
Hose, 50 ft low pressure, air		22 x 11 x 3	726	-	5.5	-								\$ -
Reel, low pressure with 100 ft air hose		20.5 x 18 x 19.5	7,196	-	12	-								\$ -
Shoring and Cribbing Equipment--Trench Rescue														
Cribbing, wood, 2 x 4 x 18		2 x 4 x 18	144	-	3.5	-								\$ -
Cribbing, wood, 4 x 4 x 18		4 x 4 x 18	288	-	6	-								\$ -
Cribbing, wood, 2 x 4 x 36		2 x 4 x 18	144	-	3.5	-								\$ -
Wedges, wood, 4 x 4 x 18		4 x 4 x 20	320	-	5.7	-								\$ -

FAMA EQUIPMENT WEIGHT AND CUBE CALCULATOR

EQUIPMENT DESCRIPTION	EQUIP SOURCE CODE	DIMENSIONS (Inches)	CUBE EACH (Inches)	CUBE TOTAL (Inches)	WEIGHT EACH (Pounds)	WEIGHT TOTAL (Pounds)	NFPA RQRD (Y/N)	EQUIP EXIST (QTY)	EQUIP NEW (QTY)	MFGR	MODEL	PURCH DATE	COST UNIT	COST TOTAL
Water Rescue Equipment														
Harness, body-type rescue		16 x 12 x 8	1,536	-	5	-								\$ -
Harness, chest type rescue		6 x 9 x 2	108	-	1.5	-								\$ -
Life preserver, personal flotation device		21 x 15 x 3	945	-	2.5	-								\$ -
Jacks, Come-along, Block and Tackle, Chains														
Jack, mechanical, long highlift		48 x 8 x 2	768	-	30	-								\$ -
Jack, 5 ton hydraulic bottle		4.5 x 5 x 9	203	-	12	-								\$ -
Jack, 12 ton hydraulic bottle		5.5 x 5.5 x 9.5	287	-	18	-								\$ -
Jack, 20 ton hydraulic bottle		6 x 6.5 x 11	429	-	31	-								\$ -
Aereial device stabilizer plate		24 x 24 x 0.5	288	-	30	-								\$ -
Pulley, swivel side		6 x 4 x 1.5	36	-	1	-								\$ -
Tool, figure 8		7 x 6 x .75	32	-	1.5	-								\$ -
Chain, steel, 6 ft with hooks		11 x 7 x 3.5	270	-	16.5	-								\$ -
Chain, steel, 10' with hooks		14 x 7.5 x 4	420	-	21.5	-								\$ -
Chain shortener		8.75 x 2.5 x 0.75	16	-	3	-								\$ -
Chain shackle		6 x 4 x 1.5	36	-	1	-								\$ -
Chain, steel, 20 ft with hooks		9.5 x 5.75 x 5.25	287	-	34	-								\$ -
Chain shackle kit		21 x 14 x 5	1,470	-	13.5	-								\$ -
Winch, manual come along		18.5 x 7 x 5	648	-	12.5	-								\$ -
Straps, extrication with quick release buckles		7 x 5 x 2	70	-	2	-								\$ -
Rope Rescue Equipment--High Angle Rescue														
Carabiner, locking		4.4 x 4.4 x .5	10	-	0.5	-								\$ -
Harness, body		16 x 8 x 8	1,024	-	5	-								\$ -
Harness, chest		6 x 9 x 2	108	-	1.5	-								\$ -
Rope, 200 ft of 1/2 in. Kernmantle		11 x 11 x 11	1,331	-	8	-								\$ -
Rope, 200 ft of 1/2 in. nylon		27 x 9 x 9	2,187	-	16	-								\$ -
Rope, 200 ft of 3/8 in. nylon		26 x 8 x 8	1,664	-	10	-								\$ -
Rope, 200 ft of 5/8 in. Kernmantle		29 x 12 x 12	4,176	-	26	-								\$ -
Rope, 50 ft with throw bag		14 x 8 x 8	896	-	4.5	-								\$ -
Rope ascender device		2.5 x 9 x 4.5	101	-	1.5	-								\$ -
Rope descender device		16 x 3 x 1	48	-	2	-								\$ -
Rope, 100 ft of 1/2 in nylon		16.5 x 10.5 x 10.5	1,819	-	16	-								\$ -
Rope, pulley block, double		5 x 9 x 3	135	-	2	-								\$ -
Sling, nylon		48 x 1 x .5	24	-	1	-								\$ -
Cutting Equipment														
Cutter, Arc Air		17 x 18 x 6.5	1,989	-	42	-								\$ -
Cutter, pedal		8.5 x 2.75 x 3	70	-	6	-								\$ -
Torch, acetylene cutting		22.5 x 12.5 x 10	2,813	-	32.5	-								\$ -
HAZMAT Related Items														
Absorbent, oil dry		36 x 24 x 10	8,640	-	15	-								\$ -
Absorbent pads (100)		17 x 19 x 18	5,814	-	19	-								\$ -
Absorbent, Vermiculite		12 x 12 x 12	1,728	-	7.5	-								\$ -
Broom, Teflon		Broom 36 x 4.25 x 4, handle 58.5 x 1 x 1	671	-	4	-								\$ -
Bucket, 5 gallon		14.25 x 12 x 12	2,052	-	2	-								\$ -
Caulking gun		22.5 x 2.5 x 2.5, handle 4.25 x 4.25 x .75	155	-	2	-								\$ -
Drum, 8 gallon salvage		14x 13.87D	2,693	-	12	-								\$ -
Drum, 10 gallon salvage		17x 13.87D	3,270	-	14	-								\$ -
Drum, 110 gallon salvage		41x 30D	36,900	-	102	-								\$ -
Drum, 20 gallon salvage		19.25x 18.25D	6,411	-	30	-								\$ -
Drum, 30 gallon salvage		27.5x 18.25D	9,159	-	35	-								\$ -
Drum, 55 gallon salvage		33 x 22.5D	16,706	-	60	-								\$ -
Drum, 85 gallon salvage		37 x 36D	47,952	-	80	-								\$ -

FAMA EQUIPMENT WEIGHT AND CUBE CALCULATOR

EQUIPMENT DESCRIPTION	EQUIP SOURCE CODE	DIMENSIONS (Inches)	CUBE EACH (Inches)	CUBE TOTAL (Inches)	WEIGHT EACH (Pounds)	WEIGHT TOTAL (Pounds)	NFPA RQRD (Y/N)	EQUIP EXIST (QTY)	EQUIP NEW (QTY)	MFGR	MODEL	PURCH DATE	COST UNIT	COST TOTAL
Drum sling		57 x 2 x .5	57	-	21	-								\$ -
Drum, tank		33.75 x 23.1 x 23.1	18,009	-	81	-								\$ -
Hazmat, tank kit		33.75 x 23.1 x 23.1	18,009	-	75	-								\$ -
Neutralizer for acid, 1 gallon		12.25x12.25 x 15	2,251	-	50	-								\$ -
Neutralizer for caustic, 1 gallon		12.25x12.25 x 15	2,251	-	42	-								\$ -
Shovel, non-sparking		Shovel 10 x 11 x 2, handle 28 x 1 x 1	248	-	2	-								\$ -
Shovel, polypropylene		Shovel 10.5 x 14 x 2, handle 24.5 x 1 x 1	319	-	3	-								\$ -
Shower, decontamination		21 x 21 x 40	17,640	-	4	-								\$ -
Squeegees, Teflon		Squeegee 3 x 2.25 x 1, handle 72 x 1 x 1	79	-	3.5	-								\$ -
Suit, Level A Hazmat		34 x 21 x 8	5,712	-	21	-								\$ -
Suit, Level B Hazmat		14 x 13 x 9	1,638	-	3	-								\$ -
Suit, Level C Hazmat		13 x 6.5 x 1.75	148	-	1	-								\$ -
Towels, 20 in. x 36 in. terry cloth		16 x 6 x 3.75	360	-	1	-								\$ -
Stretcher and Patient Control Equipment														
Back board, long		71 x 17.75 x 1.5	1,890	-	17.5	-								\$ -
Back board, short		32 x 16 x 0.75	384	-	3	-								\$ -
Body pouch		17 x 14 x 1	238	-	6.5	-								\$ -
Extraction device, KED		34 x 11 x 5	1,870	-	6.5	-								\$ -
Neck brace, C-collar		23 x 10 x 6	1,380	-	3.5	-								\$ -
Stretcher, folding		39.5 x 24.25 x 9.25	8,860	-	60	-								\$ -
Stretcher, scoop		73 x 16.75 x 2	2,446	-	21	-								\$ -
Stokes basket		80.5 x 22 x 8	14,168	-	38	-								\$ -
Stokes basket, 4 point attachment bridle		4 x 8 x 5	160	-	3.5	-								\$ -
Medical and EMS equipment														
Blanket, disposable		9.5 x 6 x 0.75	43	-	0.5	-								\$ -
Blanket, fire, with bag		20 x 19 x 2	760	-	5.5	-								\$ -
Blanket, wool		19 x 13 x 2.5	618	-	4.5	-								\$ -
Defibrillator, cardiac, 12 lead monitor		23.5 x 9.5 x 13	2,902	-	24	-								\$ -
Medical air way kit		13.75 x 5 x 4.5	309	-	4	-								\$ -
Medical ambulance bag		22 x 13.5 x 8.5	2,525	-	9	-								\$ -
Medical burn kit		13 x 9 x 5	585	-	2.5	-								\$ -
Medical drug bag		19.25 x 10.5 x 12	2,426	-	24	-								\$ -
Medical first aid kit, 25 unit		10.5 x 7.5 x 2	158	-	5	-								\$ -
Medical OB kit		9.5 x 7.5 x 3.5	249	-	1	-								\$ -
Medical rescue breather		4.75 x 4 x 2	38	-	0.5	-								\$ -
Medical snake bite kit		5 x 3 x 1.5	23	-	0.5	-								\$ -
Medical splints		36 x 14 x 5	2,520	-	4	-								\$ -
Medical squeeze bag mask		8.5 x 5.5 x 5.5	257	-	0.5	-								\$ -
Medical, suction, portable		15 x 8.25 x 8.75	1,083	-	12	-								\$ -
Medical trauma kit		27 x 19 x 10	5,130	-	14.5	-								\$ -
Medical, V-vac		13 x 7 x 5	455	-	1	-								\$ -
Oxygen cylinders, size D		4.25 x 4.25 x 19.5	352	-	8	-								\$ -
Resuscitation, respirator, oxygen		9x9x 4.5	365	-	1.5	-								\$ -
Electrical Equipment														
Electric cord, 50 ft, 3 wire, 12 AWG		17 x 5 x 2.75	234	-	2	-								\$ -
Electrical, "Hot Stick"		20.5 x 1.75 x 1.75	63	-	1.25	-								\$ -
Electrical pigtail or adapter		1.5 x 1.5 x 8	18	-	1	-								\$ -
Generator, portable		25.8 x 18.9 x 19.1	9,314	-	147	-								\$ -
Junction box, electric distribution		8.5 x 6.25 x 7.5	398	-	5.5	-								\$ -
Light, tripod mounted flood		72 x 4.5 x 4.5	1,458	-	30	-								\$ -
Light, 500 watt portable		13 x 8.5 x 13	1,437	-	9.5	-								\$ -
Reel, portable with electric cord		20 x 16 x 9	2,880	-	27	-								\$ -
Saw, electric reciprocating		18 x 6 x 3	324	-	8.25	-								\$ -

FAMA EQUIPMENT WEIGHT AND CUBE CALCULATOR

EQUIPMENT DESCRIPTION	EQUIP SOURCE CODE	DIMENSIONS (Inches)	CUBE EACH (Inches)	CUBE TOTAL (Inches)	WEIGHT EACH (Pounds)	WEIGHT TOTAL (Pounds)	NFPA RQRD (Y/N)	EQUIP EXIST (QTY)	EQUIP NEW (QTY)	MFGR	MODEL	PURCH DATE	COST UNIT	COST TOTAL
Gasoline, engine, spare parts (small engine & tools)				-		-								\$ -
Container, safety can, 2.5 gallon		11.5 x 11.5 x 11.5	1,521	-	6	-								\$ -
Electrical, tape		.75 x 3.5 x 3.5	9	-	0.5	-								\$ -
Engine air filter		3.25 x 4.5 x 4.5	66	-	0.5	-								\$ -
Engine fuel filter		2.75 x 1 x 1	3	-	0.5	-								\$ -
Engine oil filter		3.25 x 3 x 3	29	-	0.5	-								\$ -
Engine oil, 1 quart		8.5 x 4.25 x 2.25	81	-	2	-								\$ -
Engine, spare O-rings, 10		1.25 x 2.5 x 2.5	8	-	0.5	-								\$ -
Engine spark plug		2.75 x 0.75 x 0.75	2	-	0.5	-								\$ -
Funnel		9 x 5 x 5	225	-	0.5	-								\$ -
Rags, mechanics		16.75 x 11.5 x 8.25	1,589	-	5	-								\$ -
Saw, blade, extra 10 blades		12.25 x 0.5 x 0.5	3	-	0.5	-								\$ -
Saw, wood, extra chain (gas)		10.5 x 2 x 0.5	11	-	0.5	-								\$ -
Spray, Silicone		8.5 x 2.5 x 2.5	53	-	0.5	-								\$ -
				-		-								\$ -
Non-Sparking Tools				-		-								\$ -
Drum wrench, non-sparking		15 x 2.5 x 2.25	84	-	3	-								\$ -
Hammer, non-sparking		13 x 3 x 1	39	-	1.5	-								\$ -
Tools kit, non-sparking		14.25 x 12 x 12	2,052	-	19	-								\$ -
Knife, non-sparking		6 x 1.25 x 0.75	6	-	0.5	-								\$ -
Pipe wrench, non-sparking		8 x 2.5 x 0.75	15	-	5	-								\$ -
Pliers, non-sparking		8 x 1 x 0.5	4	-	0.5	-								\$ -
Putty knife, non-sparking		9 x 3 x 1	27	-	1.5	-								\$ -
Screw driver, non-sparking		7.5 x 1 x 1	8	-	0.5	-								\$ -
Tools, non-sparking, screw driver straight		7.5 x 1 x 1	8	-	0.5	-								\$ -
Wrench, adjustable, non-sparking		12 x 1.75 x 0.5	11	-	1.5	-								\$ -
				-		-								\$ -
Special Wild-land Equipment				-		-								\$ -
		Head 9 x 5 x 1, handle 36 x 1.5 x 1.5												\$ -
Axe, brush			126	-	7	-								\$ -
		Swatter 11.5 x 15 x 0.25, handle 60 x 1.25 x 1.25												\$ -
Broom, fire swatter			178	-	5.5	-								\$ -
Extinguisher, water pump can		17 x 15 x 7	1,785	-	14	-								\$ -
		Head 16.5 x 3 x 0.5, handle 1.5 x 1.5 x 36												\$ -
Pick, clay			106	-	9	-								\$ -
		Rake 12 x 3.5 x 1, handle 60 x 1.75 x 1.75												\$ -
Rake, fire			226	-	4.5	-								\$ -
		Head 13.25 x 4.75 x 1, handle 33.25 x 1.5 x 1.5												\$ -
Tool, Pulaski			138	-	6	-								\$ -
				-		-								\$ -
Salvage Equipment				-		-								\$ -
		Broom 11 x 11 x 1.75, handle 46 x 1 x 1												\$ -
Broom, house hold			258	-	1.5	-								\$ -
		Broom 19 x 4 x 3, handle 50.5 x 1 x 1												\$ -
Broom, push, long handle			279	-	4.5	-								\$ -
Mop bucket with ringer		17.25 x 16 x 21.5	5,934	-	18.5	-								\$ -
		Mop 21 x 7.75 x 2, handle 60.25 x 1 x 1												\$ -
Mop, long handle			386	-	5.5	-								\$ -
Nails, assorted, can		6 x 5 x 5	150	-	5	-								\$ -
Plastic sheeting, 100 ft x 20 ft roll		48 x 10 x 10	4,800	-	11	-								\$ -
Pump, electric sump		11 x 7 x 7	539	-	19	-								\$ -
		Squeegee 3 x 2.25 x 1, handle 72 x 1 x 1												\$ -
Squeegee, long handle			486	-	4	-								\$ -
Stapler, construction type		8 x 6 x 0.75	36	-	2	-								\$ -
Tape, duct		2 x 7 x 7	98	-	2	-								\$ -
Tarp, floor runner		36 x 12 x 12	5,184	-	22	-								\$ -
Salvage cover		9 x 9 x 30	2,430	-	9	-								\$ -
Vacuum, water		27 x 15.75 x 15.75	6,698	-	18.5	-								\$ -

FAMA EQUIPMENT WEIGHT AND CUBE CALCULATOR

EQUIPMENT DESCRIPTION	EQUIP SOURCE CODE	DIMENSIONS (Inches)	CUBE EACH (Inches)	CUBE TOTAL (Inches)	WEIGHT EACH (Pounds)	WEIGHT TOTAL (Pounds)	NFPA RQRD (Y/N)	EQUIP EXIST (QTY)	EQUIP NEW (QTY)	MFGR	MODEL	PURCH DATE	COST UNIT	COST TOTAL
<i>Reference & Communication</i>				-		-								\$ -
Binoculars		4.4 x 4.6 x 1.8	36	-	1.5	-								\$ -
Book, Chris manual		11.5 x 11.25 x 6.5	841	-	16	-								\$ -
Book, DOT reference		7.5 x 5.25 x .75	30	-	1	-								\$ -
Book, map		11.5 x 9.5 x 2.75	300	-	6	-								\$ -
Book, medical guide		11 x 9 x .5	50	-	1	-								\$ -
Book, NFPA HAZMAT handbook		14 x 9 x 1.5	189	-	4	-								\$ -
Book, phone		10.75 x 9 x 2	194	-	4.5	-								\$ -
Book, Railroad Emergency Action Guide		11 x 8.5 x 2	187	-	2.5	-								\$ -
Camera, Polaroid or digital		6.8 x 4.2 x 6.4	183	-	1.5	-								\$ -
Clip board		13.75 x 9 x 1.5	186	-	2	-								\$ -
Computer, desktop		25 x 17.5 x 16.25	7,109	-	66	-								\$ -
Computer, laptop		11 x 13 x 1.6	229	-	8	-								\$ -
FAX machine		15 x 14.25 x 15.75	3,367	-	24.5	-								\$ -
Megaphone, bull horn		14.5 x 11.5 x 9	1,501	-	3.5	-								\$ -
Radio, hand		7.5 x 2.25 x 1.25	21	-	1.5	-								\$ -
Telephone, cell		7.75 x 2 x 2.75	43	-	2.5	-								\$ -
			-											
			-											
			\$ -											